

# Acoustic & Sonic Inc

2298 NW 82 AVE., Doral, FL 33122

Phone: (305) 436-8360 | (786) 423-1756 | Fax:(305) 436 8585

Email: info@acousticsonic.com | www.acousticsonic.com

## QUILT FIBERGLASS



For high absorption and maximum resistance to dirt, oil, grime and grease, this material is very effective. Quilt Fiberglass is constructed of strong and flexible fabric. These blankets may be wall mounted, hung in curtain track systems and used to construct equipment enclosures.

### FEATURES.

- Class 1 fire-rated
- Sound absorption rating NRC .85
- Sold as custom-sized blankets by roll(roll size 4'x25', bound or unbound.
- Options include grommets.
- Durable, cost effective and easy to clean.

### APPLICATIONS.

- Industrial Noise Control.
- TV Studios.
- Gymnasiums.
- Multipurpose Rooms.
- Equipment Enclosures
- Manufacturing Areas
- OEM Applications

# Acoustic & Sonic Inc

2298 NW 82 AVE., Doral, FL 33122

Phone: (305) 436-8360 | (786) 423-1756 | Fax:(305) 436 8585

Email: info@acousticsonic.com | www.acousticsonic.com

## COLORS.

Gray, Black, White and Tan.



## SOUND ABSORPTION COEFFICIENTS

Quilt Fiberglass Absorber 2"thickness.	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	NRC
	0.19	0.99	0.96	0.80	0.57	0.33	0.85




# Acoustic & Sonic Inc

2298 NW 82 AVE., Doral, FL 33122

Phone: (305) 436-8360 | (786) 423-1756 | Fax:(305) 436 8585

Email: [info@acousticsonic.com](mailto:info@acousticsonic.com) | [www.acousticsonic.com](http://www.acousticsonic.com)



Acoustic Sonic Inc.